

**NEW YORK STATE RELIABILITY COUNCIL
 NERC RELIABILITY STANDARD BALLOTING SUMMARY**

Std. Topical Area	Reliability Standard Title And Standard Numbers	SAR or Standard	Std. Dev. Step	NYSRC in Ballot Pool?	Standard Status
CIP	Project 2020-04: Modifications to CIP-012 (Initial ballot)	Standard	E	Yes	NYSRC voted NEGATIVE on 6/9/21. Ballot Body defeated standard revision.
Various	Project 2020-04: <i>Cold Weather</i> - EOP-011-2, IRO-010-4, TOP-003-5 (Final ballot)	Standard	E	Yes	NYSRC voted AFFIRMATIVE on 5/27/21 for all standards. Ballot Body affirmed all standards.
CIP	Project 2016-02: Modifications to CIP Standards - CIP Virtualization: CIP-002-7, CIP-003-9, CIP-004-7, CIP-005-8, CIP-006-7, CIP-007-7, CIP-008-7, CIP-009-7, CIP-010-3, CIP-013-3 (Additional ballots)	Standard	E	Yes	Balloting starts on 8/11/21 and ends on 8/20/21.

SAR/Standard Development Stage: A – SAR approved for drafting; B – SAR posted for comment; C – Approved for Standard drafting; D- Standard posted for comment; E- Standard balloted. Tracking summary does not include interpretations and regional standards, except NPCC standards.